

[PRODUCTS](#)[SOLUTIONS](#)[INDUSTRY](#)[SUPPORT](#)[DISTRIBUTORS](#)[ABOUT](#)[CONTACT SALES](#)[SUPPORT](#)[DOCUMENTS](#)[A77 QUICK SETUP GUIDE](#)

A77 QUICK SETUP GUIDE


CONTENTS CHECKLIST

Please check the box contents after unpacking. If any components are missing, or if there is a page missing from the quick setup guide, etc., please contact the dealer.


Name	Qty.
A77 Smart Mini Payment Terminal	1
AC Power Adapter	1
USB Cable	1
Battery	1

PRODUCT DESCRIPTION


FRONT VIEW:




BACK VIEW:



SIDE VIEWS:




TYPE-C USB PORT:



Connect the USB device or PC to the Type-C USB port located at the top of the terminal.

SIM/SAM CARD AND BATTERY INSTALLATION



SIM/SAM CARD

1. Open the battery cover on the bottom of the terminal.
2. Take out the battery.
3. Insert SAM/SIM card into the corresponding SAM/SIM card slot.


MICRO SD CARD

1. Open the battery cover on the bottom of the terminal.
2. Take out the battery.
3. Insert Micro SD card into the corresponding Micro SD card slot.

PREPARING BATTERY FOR USE

1. Open the battery cover on the bottom of the terminal.
2. Take out the battery.

3. Locate the white tab on the battery and peel back carefully until it is fully removed and the POGO pins are visible.



BASIC OPERATING INSTRUCTIONS

POWER ON/OFF

- **Power ON:** press and hold the power button for 3-5 seconds.
- **Power OFF:** press and hold the power button until the shutdown menu appears, about 3-5 seconds, and then select [**Shutdown**] > tap [**Shutdown**]. When “Shutting...” appears, the terminal is powering off.

1. Connect the USB Type-C cable to the USB Type-C port on the terminal.
2. Connect the USB Type-C cable to a power source.
3. The charging status will display on the device screen once connected.

MAGNETIC STRIPE CARD READER

Place the magnetic stripe face left and then swipe card through the magnetic card slot at a constant speed.

IC/SMART CARD READER

Place the chip face down and then gently insert the IC card into the IC card slot.

CONTACTLESS CARD READER

Place the contactless card close to the sensor area located at the back of the terminal.

INSTALLATION AND USAGE TIPS

- Avoid putting the terminal in direct sunlight, high temperatures, or moist or dusty environments.
- Only allow professionals to repair the device.
- Before inserting the card, please check inside and around the IC card slot for signs of tampering. If suspicious objects are found, please report them to the related administrator.

LITHIUM ION BATTERY USAGE TIPS

WARNING:

- Do not use or place the battery in direct sunlight and/or smokey, dusty environments.
- Do not strike, squeeze, and/or tread on battery.
- Do not throw the battery in any liquids or place in/near fires.
- If the battery is deformed or damaged, please stop using immediately and replace it.
- If the continuous working time is only half of a new battery, the battery life may be at its end. Please replace it.
- The specified battery model and charger must be used, otherwise there may be an explosion.
- The charging time cannot exceed 24 hours. If the battery is out of power, please recharge in an appropriate time and then disconnect the device. Avoid damaging the battery with over-charge and over-discharge.
- Please recharge the battery at least once every 6 months to avoid shortening its life.
- Replace battery every two years.
- Be sure to follow the instructions to dispose of wasted batteries.

PAX Technology Inc reserves the right to change product technology specifications without notification.

For 5GHz WiFi version

FCC Compliance statement

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two

conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC SAR statement

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. End user must follow the specific operating instructions for satisfying RF exposure compliance. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

The portable device is designed to meet the requirements for exposure to radio waves established by the Federal Communications Commission (USA). These requirements set a SAR limit of 1.6 W/kg averaged over one gram of tissue. The highest SAR value reported under this standard during product certification for use when properly worn on the body

ISED compliance statement

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

- (1) This device may not cause interference.
- (2) This device must accept any interference, including interference that may cause undesired operation of the device.

L'émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes :

- (1) L'appareil ne doit pas produire de brouillage;
- (2) L'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

The device for operation in the band 5150–5250 MHz is only for indoor use to reduce the potential for harmful interference to co-channel mobile satellite systems;

le dispositif utilisé dans la bande 5150-5250 MHz est réservé à une utilisation en intérieur afin de réduire le risque de brouillage préjudiciable aux systèmes mobiles par satellite dans le même canal;

IC SAR statement

This equipment complies with ISED radiation exposure limits set forth for an uncontrolled environment. End user must follow the specific operating instructions for satisfying RF exposure compliance. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

The portable device is designed to meet the requirements for exposure to radio waves established by the ISED. These requirements set a SAR limit of 1.6 W/kg averaged over one gram of tissue. The highest SAR value reported under this standard during product certification for use when properly worn on the body.

Cet équipement est conforme aux limites d'exposition aux rayonnements ISED établies pour un environnement non contrôlé. L'utilisateur final doit suivre les instructions spécifiques pour satisfaire les normes. Cet émetteur ne doit pas être co-implanté ou fonctionner en conjonction avec toute autre antenne ou transmetteur.

Le dispositif portatif est conçu pour répondre aux exigences d'exposition aux ondes radio établie par le développement énergétique DURABLE. Ces exigences un SAR limite de 1,6 W/kg en moyenne pour un gramme de tissu. La valeur SAR la plus élevée signalée en vertu de cette norme lors de la certification de produit à utiliser lorsqu'il est correctement porté sur le corps.



Trademark notice:

"microSD logo is a trademark of SD-3C LLC."

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by PAX Technology, Inc. is under license. Other trademarks and trade names are those of their respective owners.

PAX Technology Inc reserves the right to change product technology specifications without notification.



Subscribe to Get Our Latest Industry Updates

Name *(Required)*

SUBSCRIBE

First

Last

COMPANY

EMAIL

☐ You agree we can store your data. We promise to keep it safe. [Privacy Policy](#)

8775 Baypine Road
Jacksonville, FL 32256
877-859-0099

CONTACT

PRODUCTS

Elys
Solution

mPOS

PIN Pads

Countertop

Mobile

SOLUTIONS

AirLauncher

Airlink

AirViewer

CyberLab

Geofencing

INDUSTRY

Restaurants

Retail

Hospitality

Unattended
Solutions

SUPPORT

Video
Tutorials

FAQ

PAXSTORE
Knowledge
Base

ABOUT

Distributors

PAX
TRADESHOWS
AND EVENTS

Careers

Press Room

POS

GoInsight

Developer
Portal

PAX Global

Unattended

PAXSTORE
Marketplace

Documents

Canada

POSket

End-of-Life
Notices

Blog

PxRetailer

RKI

ROOM